3752 4983752

Page 1/8



## **SAFETY DATA SHEET**

**SDS**: 3752

# 3752 ALMAGARD® VARI-PURPOSE LUBRICANT

Issuing Date 04-24-2012 Revision Date 05-08-2017 Revision Number 6.2

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product Identifier** 

Product Name 3752 ALMAGARD® VARI-PURPOSE LUBRICANT

Other means of identification

Synonyms No information available

Recommended use of the chemical and restrictions on use

Identified uses Lubricant

Uses advised against Consumer use

Details of the supplier of the safety data sheet

Manufacturer

Lubrication Engineers Inc. 1919 E. Tulsa Wichita, KS 67216 USA 800-537-7683

**Emergency Telephone Number** 

CHEMTREC: 1-800-424-9300 (NORTH AMERICA)

+1-703-527-3887 (INTERNATIONAL)

**SDS**: 3752

# 3752 ALMAGARD® VARI-PURPOSE LUBRICANT

Issuing Date 04-24-2012 Revision Date 05-08-2017 Revision Number 6.2

\_\_\_\_\_

## 2. HAZARDS IDENTIFICATION

## Classification

**OSHA Regulatory Status** 

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

## **Label Elements**

## **Emergency Overview**

Signal Word

None

## **Hazard Statements**

None

The product contains no substances which at their given concentration, are considered to be hazardous to health

appearance red Physical state Paste Odor Hydrocarbon-like

## **Precautionary Statements - Prevention**

None.

Response

None.

Eyes

None.

Skin

None. Inhalation

None

None.

Ingestion

None.

Fire

None.

**Spill** None.

Storage

None.

**Disposal** 

None.

## Hazards not otherwise classified (HNOC)

None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

The producer of "3752" declares that it contains less than 3% DMSO extractable material by IP-346

\_\_\_\_

**SDS**: 3752

# 3752 ALMAGARD® VARI-PURPOSE LUBRICANT

Issuing Date 04-24-2012 Revision Date 05-08-2017 Revision Number 6.2

\_\_\_\_\_

## 4. FIRST AID MEASURES

**First Aid Measures** 

General Advice If symptoms develop move victim to fresh air. Show this safety data sheet to the doctor in

attendance. Do not breathe dust/fume/gas/mist/vapors/spray.

**Eye Contact** Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while

rinsing. Call a physician if irritation persists.

**Skin Contact**Consult a physician if necessary. Wash off immediately with soap and plenty of water

removing all contaminated clothes and shoes.

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

**Ingestion** Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Consult a physician.

**Protection of First-aiders**Use personal protective equipment.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

Flash Point 204 °C / 400 °F

<u>Suitable Extinguishing Media</u> Water spray, Carbon dioxide (CO2), Foam, Dry chemical

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the Thermal decomposition can lead to release of irritating gases and vapors.

**Chemical** 

**Explosion Data** 

Sensitivity to Mechanical Impact Not impact sensitive.

**Sensitivity to Static Discharge** May be ignited by friction, heat, sparks or flames.

Protective Equipment and Precautions for Firefighters

Wear self-contained breathing apparatus and protective suit.

NFPA Health hazard 1 Flammability 1 Stability 1

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Do not touch or walk through spilled material. Remove all sources of ignition.

**Environmental Precautions** 

# 3752 ALMAGARD® VARI-PURPOSE LUBRICANT

Issuing Date 04-24-2012 Revision Date 05-08-2017 Revision Number 6.2

\_\_\_\_\_

**Environmental Precautions** Prevent entry into waterways, sewers, basements or confined areas. Beware of vapors

accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Absorb spill with inert material (e.g. dry

sand or earth), then place in a chemical waste container.

Methods for Cleaning up

Use personal protective equipment. Take up mechanically and collect in suitable container

for disposal. Clean contaminated surface thoroughly.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Prevent

vapor buildup by providing adequate ventilation during and after use. Do not eat, drink or

smoke when using this product.

#### Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children

**Incompatible products.** Strong oxidizing agents. Strong acids. Strong bases.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name ACGIH TLV		OSHA PEL	NIOSH IDLH	
antimony dialkyldithiocarbamate	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup>	
15890-25-2	_	(vacated) TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	

#### **Appropriate engineering controls**

Engineering Measures Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Tightly fitting safety goggles.

**Skin and Body Protection** Long sleeved clothing. Protective gloves.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

**SDS**: 3752

# 3752 ALMAGARD® VARI-PURPOSE LUBRICANT

Issuing Date 04-24-2012 Revision Date 05-08-2017 Revision Number 6.2

Physical state Paste appearance red

Odor Hydrocarbon-like
Odor threshold No information available

<u>Property</u> <u>Property</u>

**pH** 6 - 8

No data available Melting point/freezing point no data available **Boiling Point/Range** Flash Point 204 °C / 400 °F Vapor pressure No data available Vapor Density < 1 (Air = 1)**Specific Gravity** 0.95 Water solubility negligible Partition Coefficient: n-octanol/water no data available

Autoignition Temperature

Decomposition Temperature

Viscosity, kinematic

No data available
No data available
not applicable

## 10. STABILITY AND REACTIVITY

<u>reactivity</u> No information available

<u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

<u>Conditions to Avoid</u> Heat, flames and sparks. Contact with other chemicals

Incompatible Materials Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke)

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information

**Inhalation** May cause irritation of respiratory tract.

**Eye Contact** Contact with eyes may cause irritation.

**Skin Contact** May cause irritation.

**Ingestion** There is no data available for this product.

<u>Component Information</u> No information available

## Information on toxicological effects

**Symptoms** No information available.

**SDS**: 3752

# 3752 ALMAGARD® VARI-PURPOSE LUBRICANT

Issuing Date 04-24-2012 Revision Date 05-08-2017 Revision Number 6.2

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

The producer of "3752" declares that it contains less than 3% DMSO extractable material by IP-346

**Sensitization** No information available.

Mutagenic Effects No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

Target Organ Effects Respiratory system, Eyes, Skin, Central Vascular System (CVS).

## Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 506011 mg/kg
ATEmix (dermal) 6159 mg/kg
ATEmix (inhalation-dust/mist) 271377 mg/l

## 12. ECOLOGICAL INFORMATION

<u>Marine Pollutant</u> This product contains a chemical which is listed as a severe marine pollutant according to

DOT.

Ecotoxicity None known

<u>Persistence and Degradability</u> No information available.

Bioaccumulation No information available.

<u>Mobility</u> The product is insoluble and floats on water.

Chemical Name	Log Pow
Isobutylene 115-11-7	2.11
Propylene 115-07-1	<=2.8

Other Adverse Effects No information available

## 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated Packaging Do not re-use empty containers. Empty containers should be taken to an approved waste

handling site for recycling or disposal.

# 3752 ALMAGARD® VARI-PURPOSE LUBRICANT

Issuing Date 04-24-2012 Revision Date 05-08-2017 Revision Number 6.2

This product contains one or more substances that are listed with the State of California as a hazardous waste

Chemical Name	California Hazardous Waste Status
antimony dialkyldithiocarbamate 15890-25-2	Toxic
Zinc diamyldithiocarbamate 15337-18-5	Toxic

## 14. TRANSPORT INFORMATION

**DOT** Not regulated

## 15. REGULATORY INFORMATION

#### International Inventories

TSCA Complies DSL/NDSL Complies **NDSL** Not determined **EINECS** Not determined **ELINCS** Not determined Not determined **ENCS IECSC** Complies Not determined **KECL PICCS** Complies AICS Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
antimony dialkyldithiocarbamate - 15890-25-2	15890-25-2	1.86	1.0
Zinc diamyldithiocarbamate - 15337-18-5	15337-18-5	0.25	1.0

\_\_\_\_\_

**SDS**: 3752

# 3752 ALMAGARD® VARI-PURPOSE LUBRICANT

Issuing Date 04-24-2012 Revision Date 05-08-2017 Revision Number 6.2

\_\_\_\_\_

## SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardNoFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous
	Quantities			Substances
antimony		X		
dialkyldithiocarbamate				
15890-25-2				
Zinc diamyldithiocarbamate		X		
15337-18-5				

#### **CERCLA**

This material does not contain any components with a CERCLA RQ.

## **U.S. State Regulations**

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

## **16. OTHER INFORMATION**

Issuing Date04-24-2012Revision Date05-08-2017Reason for revisionUpdate to Format.

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SDS is available at www.LElubricants.com

**End of Safety Data Sheet**