



RACING BRAKE FLUID

EXP 600 Plus

EXP 600 Plus is a highly refined blend developed for extreme performance under the high heat and extreme pressure of professional motorsports.

EXP 600 Plus has tested to 626 degrees Fahrenheit with a wet boiling point of 417 degrees Fahrenheit. These numbers far exceed any DOT or SAE specifications.

It is true that racing fluids need to have high boiling points. It is also true that fluids need to have low moisture affinity to slow the natural absorption rate of water vapor. But the true test of any fluid is how well it resists aeration and compressibility after it has been heated and pressure cycled a few hundred times. The real test is at the track. EXP has been proven to maintain firm pedal feel and quick response, long after others have failed.

A Nextel Cup car racing for 500 laps at Martinsville is the most grueling brake test in all of motorsports. The brakes will be applied up to 1,000 times, plus pit stops, at sustained high heat and repeated high pressure. IRL, CART, ASA, Busch, Craftsman Trucks, and a whole world of other oval and road course competition series also demand extreme performance from their brake systems. EXP 600 Plus has passed the test in every series!

Note: For optimum performance, EXP 600 Plus should not be diluted with any other brake fluids. Add new fluid to a clean system.



ORDERING INFORMATION:

ITEM / DESCRIPTION

EXP 600 Plus case, 20 each 500 ML bottles (16.9 fl oz)
EXP 600 Plus six pack, 6 each 500 ML bottles (16.9 fl oz)
EXP 600 Plus single bottle, 500 ML bottle (16.9 fl oz)

PART NUMBER


290-6210
290-8478
290-6209

Hi-Temp° 570

Wilwood's specially formulated Hi-Temp° 570 Racing Brake Fluid has a minimum 570° F. dry boiling point to withstand the severe heat requirements of automotive racing. Hi-Temp° 570's low viscosity allows easy bleeding of your brake system, eliminating aeration of the brake fluid caused by foaming due to excessive pumping of the pedal.

Hi-Temp° 570 comes in convenient 12 ounce containers hermetically sealed to guarantee against unwanted absorption of moisture which can drastically lower the fluids boiling point (fluid from larger containers tends to become contaminated with moisture, lowering its boiling point and making it unsuitable for racing applications).

Available in single bottle, six-packs, or economical 24 bottle cases.



ORDERING INFORMATION:

ITEM / DESCRIPTION

Wilwood Hi-Temp° 570 (24 bottle case, 12 oz bottles)
Wilwood Hi-Temp° 570 (6 pack, 12 oz bottles)
Wilwood Hi-Temp° 570 (single 12 oz bottle)

PART NUMBER

290-0633
290-2210
290-0632