

# INSTRUCTIONS

**910-82104**

©Speedway Motors, Inc. Oct., 2007

## SCALE STORAGE CART

**PLEASE READ INSTRUCTIONS COMPLETELY  
BEFORE STARTING YOUR INSTALLATION!**

Parts List		
Index No.	Description	Quantity
1	Side panel, left	1
2	Side panel, right	1
3	Real panel	1
4	Upper shelf	1
5	Lower shelf	1
6	Lid	1
7	Axle shaft	1
8	1/2" flat washer	4
9	Rubber wheel	2
10	1/2"-20 nyloc nut	2
11	Handle bar	1
12	Handle bar support tubes	2
13	Quick release pin	2
14	Support frame	1
15	Handle storage channel, right	1
16	Handle storage channel, left	1
17	10-32 x 5/16" screws	32
18	10-32 x 11/4" screws	10
19	Rubber bumper	2
20	8mm flat washer	2
21	8mm x 1.25 hex jam nut	2
22	Hinge pin	1

Using the parts list above double check that you received all the parts in the kit.

Speedway Motors Inc.  
P.O. Box 81906 Lincoln, NE 68501  
(402) 323-3200  
[www.speedwaymotors.com](http://www.speedwaymotors.com)






FIGURE 1

1. Lay the rear panel (#3) on a flat surface with the outer flanges facing up. Remove the four screws that retain the two handle bar support tubes (#12) and remove the tubes. Position the left and right side panels (#1 & #2) on end as shown in figure 1. Slide the rear panel (#3) into the channel of both side panels making sure the hinged end is goes up.




FIGURE 2

2. Slide the two long handle bar support tubes (#12) into the channel of both the right and left side panels (#1 & #2) as shown in figure 2. Making sure the axle support sleeve in the end of the tube goes down and the threaded holes are facing out. Secure the back and side panel to the handle bar support tubes with ten #10-32 x 5/16" screws (#17). Do not fully tighten.




FIGURE 3

3. Flip the assembly over onto the rear panel with the side panels facing up. Slide the lower shelf (#7) in between the side panels as shown in figure 3. Secure the side panel to the lower shelf with six #10-32 x 5/16" screws (#17). Do not fully tighten.




FIGURE 4

4. Slide the upper shelf (#4) in between the side panels as shown in figure #4. Secure the side panel to the lower shelf with six #10-32 x 5/16" screws (#17). Do not fully tighten. Turn the assembly over and secure the back panel to both the upper and lower shelves with six #10-32 x 5/16" screws (#17). Do not fully tighten.




FIGURE 5




FIGURE 6

5. Flip the cart over so the bottom of the cart is pointing up. Install the two rubber bumpers (#19) into the support frame (#14) and secure with two 8mm flat washers (#20) and two 8mm x 1.25 hex jam nuts (#21) as shown in figure 5. Install the support frame #14 onto the front edge of both side panels securing with ten #10-32 x 1 1/4" screws (#18). Do not fully tighten.

6. Slide the rear axle (#7) through the sleeves in the lower handle bar support tubes as shown in figure 6. Install one 1/2" washer (#8) onto each end of the axle followed by a rubber wheel (#9), a 1/2" flat washer (#8) and a 1/2"-20 nylock nut (#10). Do not over tighten. Make sure the wheels spin freely.




FIGURE 7

7. Install the left and right handle storage channels (#15) and (#16) to the bottom of the cart as shown in figure 7, secure with four #10-32 x 5/16" screws (#17). All the #10-32 screws in the entire cart can now be tightened being careful not to over torque them.




FIGURE 8

8. Remove the hinge pin (#22) from the lid (#6). Turn the cart upright and align the lid onto the top of the cart. As shown in figure 8. Attach the lid to the rear panel by driving in the hinge pin.




FIGURE 9

9. Install the handle (#11) into the top of the handle bar support tubes (#12) as shown in figure 9 and install the two quick release pins (#13) into the handle bar assembly.

**IMPORTANT**

**DISCLAIMER** In an effort to offer our customers the low prices, quick service and great value, Speedway Motors reserves the right to change suppliers, specifications, colors, prices, materials. Each of the previous items is subject to change without notice. Speedway is not responsible for any typographical errors or misinterpretations. Quantities are limited on some items.

**WARRANTY DISCLAIMER** The purchaser understands and recognizes that racing parts, specialized street rod equipment, and all parts and services sold by Speedway Motors, Inc. are exposed to many and varied conditions due to the manner in which they are installed and used. Speedway Motors, Inc. makes no warranties, either express or implied, including any warranty of merchantability or fitness for a particular purpose other than those contained in its current catalog with respect to the goods identified on the face of the invoice. There is no warranty expressed or implied as to whether the goods sold hereby will protect purchaser or ultimate user of such goods from injury or death. Speedway Motors assumes no liability after this period.

**DAMAGE CLAIMS** Always inspect your package upon delivery. Inspect all packages in the presence of the delivery driver. The driver must note any damage. Ask the driver the Carrier's procedures for handling damage claims. You must hold the original box, packing material and damaged merchandise for inspection or the carrier will not honor the claim. Notify Speedway Motors customer service department for instructions on returning damaged goods. Speedway is not responsible if no notification is given within 5 days of receipt.

**SHORTAGES** Always check the contents of your delivery to insure all the parts that you ordered were received. Please read the invoice. Double check all packing materials, small items may be wrapped inside with these products. Shortages may occur from damage to the box, so save all packing materials. Inspect the box for holes that would allow parts to fall out. If you are missing any item(s) be sure to check your invoice for back orders or canceled items before calling the customer service department. If Speedway has to split a shipment into multiple boxes, packages may be delivered on different days. You need to contact the customer service department within 5 days of delivery to assure the prompt replacement. Speedway Motors assumes no liability after this period.

**REFUSALS** All refused COD customers will be billed a 15% restocking charge plus freight to and from the destination! If you have questions please contact Speedway's customer service department.

**WARRANTY CLAIMS** If an item has a manufacturer's warranty as being free from defects we will exchange only. If the item has been used and you are requesting warranty work, this may take up to 30 days as warranty work is done by the manufacturer NOT Speedway Motors. If you have any questions please contact customer service.

**RETURNS** Speedway wants you to be satisfied with your purchase. If within 30 days after you receive your shipment you are not satisfied, you may return the item for refund or exchange. All exchanged or returned merchandise must be in original factory condition with no modifications or alterations. Returned merchandise must include all packaging materials, warranty cards, manuals, and accessories. If the items being returned need to be repackaged there will be a re-packing charge. Repack the item in a sturdy box and include a copy of your invoice and complete the form on the back of the invoice. You must ship orders back **PRE-PAID. WE DO NOT ACCEPT COD SHIPMENTS.** All exchanges need to have reshipping charges included. Items that are returned after 30 days are subject to 15% restocking charges. All fiberglass returned will have 15% restocking charge. No returns on electrical parts, video tapes, and books. Absolutely no returns on special order or close out merchandise.

**FREE CATALOGS** Speedway Motors offers FREE catalogs for Race, Street, Sprint and Midget, Sport Compact and Pedal Car restoration.

\*\*Some items are not legal for sale or use in California on pollution controlled motor vehicles. These items are legal in California for racing vehicles only which may never be used upon a highway.



Speedway Motors Inc., P.O. Box 81906  
Lincoln, NE 68501 (402) 323-3200  
www.speedwaymotors.com