

POWER PLUS LUBRICANTS
SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

Product Name: Power Plus Lubricants - Top Lubes – All Top Lubes and sizes
Product Description: Fuel Additive/Lubricant
Product Code: 19769-000**

Manufacturer:
Power Plus Lubricants
2010 W Avenue K #630
Lancaster CA 93536

Tel: 661-945-8810
Fax: 661-945-8812
Emergency: 661-466-8161

SECTION 2: HAZARDS IDENTIFICATION

Slightly dangerous to dangerous in case of eye contact (irritant). Essentially non-irritating to skin. This product may irritate eyes upon contact.

OSHA Hazard Classification: This product is not considered to be hazardous under 29 CFR 1910.1200

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

The composition of this mixture may be proprietary information. In the event of a medical emergency compositional information will be provided to a physician.

Any concentration shown as a range is to protect confidentiality

SECTION 4: FIRST AID MEASURES

EYES: Immediately flush eyes with running water for at least 15 minutes keeping eyelids open. DO NOT use an eye ointment. Seek medical attention.

SKIN: Remove contaminated clothing. Gently and thoroughly wash contaminated skin with running water and non-abrasive soap. Call a physician if irritation persists. Wash contaminated clothing before reusing.

INGESTION: Single dose oral toxicity is low. Swallowing large amounts may cause injury. Signs and symptoms of excessive exposure may be central nervous system effects. Induce vomiting if large amounts are swallowed. Seek immediate medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

Explosion Hazards: Risks of explosion of the product in presence of mechanical impact: Not Available.
Risks of explosion of the product in presence of static discharge: Not Available.
No specific information is available in our database regarding the product's risks of explosion in the presence of various materials.

POWER PLUS LUBRICANTS

SAFETY DATA SHEET

Fire Fighting: Use CO₂, DRY chemicals, Water or foam may cause frothing.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. Prevent entry into sewers, basements or confined areas; dike if needed.

SECTION 7 - HANDLING AND STORAGE

Avoid contact with eyes and skin. Avoid prolonged inhalation of product in concentrate form. Keep away from incompatibles such as alkalis and oxidizing agents. Keep container tightly closed. Keep in a cool, well-ventilated place.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Splash goggles. Lab coat. Gloves. Use a MSHA/NIOSH approved vapor respirator when working with high volumes of concentrated product

SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES

Boiling Point: Unknown
Vapor Pressure (mm Hg): Unknown
Vapor Density (Air=1): Unknown
Solubility In Water: Insoluble
Reactivity in Water: None
Appearance: Clear, light yellow, light red, or deep blue liquid
Odor: Cherry, Grape, Strawberry, or None
Soluble in: Fuel
Flash Point: 370-445°F

SECTION 10 - - STABILITY AND REACTIVITY DATA

Stability- The product is stable
Instability- Temperature Not Available
Incompatibility- Slightly reactive to reactive with alkalis
Very slightly to slightly reactive with oxidizing agents
Corrosivity- Non-corrosive in presence of glass
Polymerization No

SECTION 11 - TOXICOLOGICAL INFORMATION

When used for its intended purposes, this material is not classified as hazardous

SECTION 12 - ECOLOGICAL INFORMATION

Acute aquatic toxicity Not classified - the classification criteria are not met
Chronic aquatic toxicity Harmful to aquatic life with long lasting effects
Toxicity Data on soil no data available
Toxicity on other organisms no data available
Persistence and degradability no data available
Bioaccumulative potential no data available
Mobility in soil no data available
Other adverse effects no data available

POWER PLUS LUBRICANTS

SAFETY DATA SHEET

SECTION 13 – DISPOSAL CONSIDERATIONS

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste packaging should be recycled. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues.

SECTION 14 - TRANSPORTATION INFORMATION

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods
Chemicals NOI
ADR/RID (International Road/Rail) Not Regulated - Not Dangerous Goods
Chemicals NOI
IATA (Air Cargo) Not Regulated - Not Dangerous Goods
Chemicals NOI
IMDG (Sea) Not Regulated - Not Dangerous Goods
Chemicals NOI

SECTION 15 – REGULATORY INFORMATION

OSHA Hazard Classification: This product is not considered to be hazardous under 29 CFR 1910.1200

DISCLAIMER

The information in this SDS was obtained from current and reliable sources. However the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Power Plus Lubricants' control, it is the responsibility of the user both to determine safe conditions for use of this product. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in the SDS.

Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.

Date Prepared: 12/01/2015

Last Revised: 1/28/2016