1. P	RODUCT AND COMPANY IDENTIFICATION	
Product Identifier		
Product Name:	DRIVEN RACING OIL RACE WAX	
Product Number:	2589	
Recommended Use:	Spray wax and cleaner	
Uses Advised Against:	No information available.	
Manufacturer/Supplier:	Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA	
Company Phone Number:	800-537-8990 (Business hours)	
Website	www.spartanchemical.com	
24 Hour Emergency Phone Numbers Medical Emergency/ Information:	888-314-6171	
Transportation/Spill/Leak:	CHEMTREC 800-424-9300	
2. HAZARDS IDENTIFICATION		
GHS Classification Not Classified	Not dangerous according to the Globally Harmonized System (GHS)	
GHS Label Elements		
Signal Word:	No signal word	
Symbols:		

Hazard Statements:	No hazard statements		
Precautionary Statements:			
Prevention:	Not Applicable		
Response:			
-Specific Treatment:	See Safety Data Sheet Section 4: "FIRST AID ME	ASURES" for additional information	
Storage:	Not Applicable		
Disposal:	Not Applicable		
Hazards Not Otherwise Classified:	Not Applicable		
Other Information:	May be harmful if swallowed. May cause eye irritation.		
Other Information:	May be harmful if swallowed. May cause eye irritation.		
	May be harmful if swallowed. May cause eye irritation. MPOSITION/INFORMATION ON INGRED	IENTS	
	May cause eye irritation.	IENTS Weight-%	
3. CO	May cause eye irritation. MPOSITION/INFORMATION ON INGRED		
3. CO	May cause eye irritation. MPOSITION/INFORMATION ON INGRED CAS No	Weight-%	

4. FIRST AID MEASURES

Eve Contact:	Dines continuely with water for several minutes. Demons contact lances if present	
-Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.	
-Skin Contact:	Wash with soap and water. If skin irritation occurs: Get medical attention.	
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.	
-Ingestion:	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.	
Note to Physicians:	Treat symptomatically.	
	5. FIRE-FIGHTING MEASURES	
Suitable Extinguishing Media:	Droduct does not current combustion. Hos extinguishing agent suitable for type of	
	Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire	
Specific Hazards Arising from the Chemical:	Dried product is capable of burning. Combustion products are toxic.	
Hazardous Combustion Products:	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.	
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.	
	6. ACCIDENTAL RELEASE MEASURES	
	U. ACCIDENTAE RELEASE MEASURES	
Personal Precautions:	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.	
Environmental Precautions:	Do not rinse spill onto the ground, into storm sewers or bodies of water.	
Methods for Clean-Up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite and place in container for disposal according to local / national regulations (see Section 13).	
	7. HANDLING AND STORAGE	
Advice on Safe Handling:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.	
Storage Conditions:	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.	
8 FYF	POSURE CONTROLS/PERSONAL PROTECTION	
J. 17(1)	POSICE CONTROLLA ERGONAL FROTESTION	
Occupational Exposure Limits:	None established.	
Engineering Controls:	Provide good general ventilation.	
	If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.	
Personal Protective Equipment		
Eye/Face Protection:	Not required with expected use.	
Skin and Bady Brotactions	Not required with expected use.	
	Not required with expected use.	
Respiratory Protection:		
Skin and Body Protection: Respiratory Protection: General Hygiene Considerations:	Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.	
Respiratory Protection: General Hygiene Considerations:	Wash hands and any exposed skin thoroughly after handling.	

Appearance/Physical State:	Liquid
Color:	
	Orange
Odor:	Pleasant
pH:	
	6.0-7.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	
	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F ASTM D56
Evaporation Rate:	
	< 1 (Butyl acetate = 1)
Florenskility (solid see)	
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
	No information available.
Lower Flammability Limit:	
Lower Flammasinty Limit.	No information available.
Vapor Pressure:	No information available.
Vapor Density:	
	No information available.
Specific Gravity:	1.002
Solubility(ies):	
	Soluble in water

Partition Coefficient:		No information available.	
Autoignition Temperature:			
Autoigintion reinperature.		No information available.	
Decomposition Temperature	<u> </u>		
		No information available.	
Viscosity:		No information available.	
		140 mioritation available.	
	10. STABILITY	AND REACTIVITY	
Reactivity:	This material is consid	ered to be non-reactive under nor	mal conditions of use
Chemical Stability:	Stable under normal co		mar conditions of use.
Possibility of Hazardous		with normal handling and storage.	
Reactions:	Not expedied to dead	with normal harlaning and storage	•
Conditions to Avoid:	Extremes of temperatu	re and direct sunlight.	
Incompatible Materials:	Strong oxidizing agent		
Hazardous Decomposition Products:		onoxide, carbon dioxide (CO2) and	d other toxic gases or vapors.
	11 TOYICOLOGI	CAL INFORMATION	
	11. TOXICOLOGI	DAL INI ORMATION	
Likely Routes of Exposure:	Eyes, Skin, Ingestion,	Inhalation.	
Symptoms of Exposure:			
-Eye Contact:	Pain and redness.	<u>'</u>	
-Skin Contact:	Drying of the skin.		
-Inhalation:	Nasal discomfort and o	coughing.	
-Ingestion:	Pain, nausea, vomiting	and diarrhea.	
Immediate, Delayed, Chronic	Effects		
Product Information:	Data not available or in	nsufficient for classification.	
Numerical Measures of Toxic	itv		
The following acute toxicity estinate not available or insufficier	imates (ATE) are calculated bas	ed on the GHS document.	
Component Acute Toxicity In			
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
Carcinogenicity: No compone OSHA.	ents present at 0.1% or greater a	are listed as to being carcinogens	by ACGIH, IARC, NTP or
	12 ECOLOGICA	AL INFORMATION	
	12. ECOLOGICA	AL INFORMATION	
Ecotoxicity	12. ECOLOGICA	AL INFORMATION	
Persistence and Degradabilit	<u>y:</u> No information availab	le.	
		le.	
Persistence and Degradabilit	<u>y:</u> No information availab	le. le.	

	40 51050041 0		
	13. DISPOSAL C	ONSIDERATIONS	
Diamond of Wester	Dianage of in accordance	as with foderal state and lead regulations	
Disposal of Wastes: Contaminated Packaging:	Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with federal, state and local regulations.		
Contaminated Fackaging.	Dispose of in accordance with federal, state and local regulations.		
	14. TRANSPOR	T INFORMATION	
DOT:	Not Regulated		
Proper Shipping Name:	Non Hazardous Produ	uct	
Special Provisions:	Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.		
	15. REGULATOR	RY INFORMATION	
TSCA Status: (Toxic Substance Cor			
All chemical substances in this produ Substances.	ct are included on or exem	pted from listing on the TSCA Inventory of Chemical	
Cabota 1000.			
SARA 313			
This product does not contain listed s	substances above the "de n	ninimus" level	
SARA 311/312 Hazard Categories			
Acute Health Hazard:		Yes	
Chronic Health Hazard:		No	
Fire Hazard:		No	
Sudden release of pressure	hazard:	No	
Reactive Hazard:		No	
California Proposition 65 This product contains the following P	roposition 65 chemicals		
Chemical Nan	ne	California Proposition 65	
chloromethane - 74	4-87-3	Developmental Male Reproductive	
		e of California to cause birth defects or other reproductive harm. ey are impurities present at concentrations below 0.01%.	
		,	
	16. OTHER IN	NFORMATION	
NFPA	·		
Health	n Hazards: 1		
-			
Flamn	nability: 0		
Instah	oility: 0		
motes	mity. 0		
Connection of the contraction of	al: NI/A		
Specia	al: N/A		
<u>HMIS</u>			

Health	Hazards: 1
Flamm	ability: 0
Physic	al Hazards: 0
Revision Date:	05-Jun-2015
Reasons for Revision:	No information available.
belief at the date of its publication. processing, storage, transportation specification. The information relate	Iterial Safety Data Sheet is correct to the best of our knowledge, information and The information given is designed only as a guidance for safe handling, use, , disposal and release and is not to be considered a warranty or quality es only to the specific material designated and may not be valid for such material materials or in any process, unless specified in the text.

End of Safety Data Sheet