



## SDS Sheet

EU GHS / CLP FORMAT

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** NATURE'S AIR SPONGE

**GENERAL USE:** AIR DEODORANT

**PRODUCT CODE:** PL OA-1

**PRODUCT FORMULATION NAME:** NATURE'S AIR SPONGE

**CHEMICAL FAMILY:** MIXTURE

**Manufacturer:**

Delta Marketing International, L.L.C.

3 Matt Avenue

Plattsburgh, NY 12901

**24 HR. Emergency telephone number:** CHEMTREC 1-800-424-9300

**EMERGENCY CONTACT:** Chemtrec

**EMERGENCY PHONE:** 1-800-424-9300

**CUSTOMER SERVICE:** 1-800-220-2036 M-F 8am to 4pm EST

### 2. HAZARDS IDENTIFICATION

#### GHS CLASSIFICATIONS

**HEALTH:**

Classification (REGULATION (EDP No 1272-2008)

Not a hazardous substance or mixture.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture according to EC-directives 67-548-EEC or 1999/45/EC.

**PHYSICAL:**

Classification (REGULATION (EC) No 1272-2008)

Not a hazardous substance or mixture.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture according to EC-directives 67-548-EEC or 1999/45/EC.

**GHS LABEL**

None

**SIGNAL WORD**

No Signal Word

## PRECAUTIONARY STATEMENT (S)

### PREVENTION :

P103 : Read label before use.

### RESPONSE :

P301+P312 : IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell. P305+P351+P338 : IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### STORAGE :

P102 : Keep out of reach of children

P233 : Keep container tightly closed.

P235+P410 : Keep cool. Protect from sunlight.

### DISPOSAL :

P501 : Dispose of contents. All disposal practices must be in accordance with local, state, national and international regulations.

### POTENTIAL HEALTH EFFECTS :

**EYES** : Contact may cause eye irritation.

**SKIN** : May cause mild skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying and cracking of skin, and skin burns. Passage of this material into the body through the skin is possible, and may add to toxic effects from breathing or swallowing.

**INGESTION** : Ingestion can cause gastro-intestinal distress.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %	CAS
Sodium Stearate	4 - 10	822-16-2
1,2-propanediol	4 - 10	57-55-6
Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated sodium salts	2 - 5	119345-04-9
Carbon	1 - 5	7440-44-0

## 4. FIRST AID MEASURES

**EYES**: Rinse immediately, flush eyes with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Also flush under the eyelids. If irritation persists, consult a physician.

**SKIN**: Wash with soap and water. Get medical attention if irritation develops or persists.

**INGESTION:** NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

**INHALATION:** Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

**NOTES TO PHYSICIAN:** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**GENERAL HAZARD:** This product is Non Flammable.

**EXTINGUISHING MEDIA:** This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. Foam, carbon dioxide or dry powder.

**FIRE FIGHTING PROCEDURES:** In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode. Water spray may be used to keep fire exposed containers cool.

**FIRE FIGHTING EQUIPMENT:** Respiratory and eye protection are required for firefighting personnel. Full protective equipment (Bunker Gear) and self-contained breathing apparatus (SCBA) should be used for all indoor fires and any significant outdoor fires. For small outdoor fires, which may easily be extinguished with a portable fire extinguisher, use of a SCBA may not be required.

## 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Contain spilled material. Collect in suitable and properly labeled containers. Pick up excess with inert absorbant material. Keep away from drains and ground water.

**LARGE SPILL:** Always employ the proper personal protective equipment. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas through the use of berms. Collect liquid with explosion proof pumps if possible. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers. Fluorocarbon alcohol resistant foams may be applied to spill to diminish vapor and fire hazard.

### ENVIRONMENTAL PRECAUTIONS

**WATER SPILL:** Depending on the size of the spill and the movement characteristics of the water into which it entered, consider use of booms, underflow or overflow dams. Diversion of the material is also an option. Mechanical skimmers, pads and other absorbant materials may be considered as well.

**LAND SPILL:** Scoop up and place in suitable containers for disposal.

**GENERAL PROCEDURES: Solidified product:** Scoop up solids and place in suitable container for disposal.

**Melted product:** Allow to solidify and treat as above.

**Solution:** Absorb in vermiculite, dry sand or earth and place in containers.

**SPECIAL PROTECTIVE EQUIPMENT:** Gloves. Protective goggles. Large spills in enclosed spaces: Compressed air apparatus.

## 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** No special handling procedures are required. Wash thoroughly after handling. Remove contaminated clothing and wash before re use. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid breathing spray or mist.

**Handling:** Wear personal protective equipment. Do not get in eyes.

**Storage:** Keep container closed to prevent drying out.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
Chemical Name		EXPOSURE LIMITS					
		OSHIA PEL		ACGIH TLV		Supplier OEL	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Benzene, 1, 1'-oxybis-, tetrapropylene derivs., sulfonated sodium salts	TWA	NL	NL	NL	NL	NL	NL
	STEL	NL	NL	NL	NL	NL	NL

**Engineering controls:** If vapor or mists are generated, provide local exhaust ventilation to prevent airborne exposure. All ventilation should be designed in accordance with OSHA standard. (29 CFR 1910.24)

#### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Wear chemical splash goggles and face shield when eye and face contact is possible due to splashing or spraying of material. Maintain eye wash fountain and quick-drench facilities in work area.

**Skin:** To prevent and contact, wear impervious protective clothing such as neoprene or butyl rubber gloves, apron, boots or whole bodysuit as appropriate.

**Respiratory:** No special precautions are necessary under normal operating conditions.

If the exposure limit is exceeded and engineering controls are not feasible, a half-face organic vapor respirator may be worn for up to ten times the exposure limit or maximum use concentration specified by the respirator supplier or regulatory agency. A full-face organic vapor respirator may be employed for use in atmospheres that contain up to 50 times the exposure limit. For emergencies or instances where the exposure level are not known a positive-pressure, full-face piece, air supplied respirator should be employed.

**PROTECTIVE CLOTHING:** Long sleeved clothing should always be considered when handling chemical substances

**WORK HYGENIC PRACTICES:** Good personal hygiene practices should always be followed. Keep away from food, drink and animal feeding areas. When using, do not eat, drink or smoke. Hands and any other exposed area should be washed thoroughly with soap and water after contact. Regular laundering of contaminated clothing is essential to reduce indirect skin contact.

**OTHER USE PRECAUTIONS:** This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Gel like solid  
**Odor:** Floral  
**Color:** Blue  
**pH-value,conc:** 6.0-7.0  
**Flash point (°C) and METHOD :** > 104°C TAG CC  
**Specific Gravity [Water=1]:** 0.95-1.04  
**Soluble in water:** Partially soluble in water  
**Melting Point:** ~48°C

## 10. STABILITY AND REACTIVITY

**Chemical stability:** Stable under recommended storage conditions.

**Hazardous polymerization:** Hazardous polymerization does not occur.

**Hazardous decomposition products:** Carbon monoxide, carbon dioxide.

**Chemical Incompatibilities:** Strong Oxidizers.

## 11. TOXICOLOGICAL INFORMATION

### ACUTE

**ORAL LD:** >2000 mg/kg (Rat)

**INHALATION LC:** Odor absorbant will not require labeling with rish phrase "R22", in accordance with commission Directive 93/21/EEC.

**IRRITATION:** May be irritating to eyes and skin.

## 12. ECOLOGICAL INFORMATION

**ECOTOXICOLOGICAL INFORMATION:** This product has no known eco-toxicological effects.

**DISTRIBUTION:** None known

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Disposal must comply with federal, state, and local disposal or discharge laws.

**PRODUCT DISPOSAL:** Collect in appropriate containers. **Waste from residues / unused products:** Waste disposal must be in accordance with appropriate US, Federal, State and International regulations.

**Disposal Regulatory Requirements:** Dispose of in compliance with all applicable regulations.

**Container Cleaning and Disposal:** Dispose of in compliance with all applicable regulations

## 14. TRANSPORT INFORMATION

### DOT Transportation Data (49 CFR 172.101)

**DOT shipping name:** N/A

**Shipping Symbols:** None

**Hazard class:** None

**ID No.:** None

**Packing group:** None

**Label:** None

### Packing Authorizations:

a) **Exceptions:** N/A

b) **Non-bulk Packaging:** N/A

c) **Bulk Packaging:** N/A

### Quantity Limitations

a) **Passenger, Aircraft, or Railcar:** None

b) **Cargo Aircraft only:** None

### Vessel Stowage Requirements

a) **Vessel Stowage:** None

b) **Other:** None

## 15. REGULATORY INFORMATION

**EPA Regulations:** None

**OSHA Regulations:** None

**State Regulations:** None known, may vary from state to state

**Company:** Powerline Packaging, INC.                      **Stock code:** #1PL OS A/E AS NA

**Product Name:** #1PL Odor Sponge Absorbent/Environmental Air

**Sponge/Nature's Air Sponge**

PAGE 5 of 6

**Classification Packaging/ Labeling:** Directive 92/32/EC

**Hazard Symbol:** Xi, irritant

N, dangerous to the environment

**Risk Phrases:** R43, May cause sensitization by skin contact

**Environment:** R50/53, Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Safety Phrases:** S24, Avoid contact with skin

S37, Wear suitable gloves

S61, Avoid release to the environment. Refer to special instructions/safety data sheet.

**Contains:** Galaxolide

<0.0105%

<b>Coumarin</b>	0.0095-0.019%
<b>Hexyl Cinnamic Aldehyde</b>	0.0095-0.019%
<b>Citronellol</b>	0.0095-0.019%
<b>Geraniol</b>	0.0095-0.019%
<b>Lilial</b>	0.001-0.002%

## 16. OTHER INFORMATION

### **MSDS format:**

#### North American Format - U.S. and Canada

This Material Safety Data Sheet was prepared in accordance with OSHA 29 CFR 1910.1200 with ANSI standards.

#### European format

This Material Safety Data Sheet was prepared in accordance with directive 91/155/EEC.

### **Disclaimer:**

The information and recommendations contained herein are based upon tests believed to be reliable. However, Powerline Packaging, INC. does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE.

Adjustment to conform to actual conditions of usage maybe required. Powerline Packaging, INC. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.

End of Safety Data Sheet

**Company: Powerline Packaging, INC.**                      **Stock code: #1PL OS A/E AS NA**  
**Product Name: #1PL Odor Sponge Absorbent/Environmental Air**  
**Sponge/Nature's Air Sponge**

**PAGE 6 of 6**